


S X A - 1 6

CNC NESTING



We Simplify and Optimize  
**your Manufacturing**



## **SX A-16**

ATC CNC ROUTER ( CAROUSEL TYPE )

- AUTOMATIC LOADING AND UNLOADING OF VARIOUS PANEL FURNITURE (OPTIONAL), SLOTTING, DRILLING, CUTTING, MILLING, HOLLOWING, ENGRAVING, AUTOMATIC TOOL CHANGE.
- MAX TRAVELING SPEED CAN GO UP TO 100M/MIN, GREATLY IMPROVE WORKING EFFICIENCY.
- 16-POSITION CAROUSEL-TYPE TOOL MAGAZINE, SERVO CONTROL, QUICKLY SWITCH.

**WOTSO Group**  
Carretera de Vigo,74  
32001 Ourense - Espanha

[www.wotso.eu](http://www.wotso.eu)  
[geral@wotso.eu](mailto:geral@wotso.eu)

Model	Traveling size	Working size	Table size
SX1325A-16	1360*2560*330mm	1300*2500*200mm	1300*2500mm
SX1530A-16	1560*3060*330mm	1500*3000*200mm	1500*3000mm
SX2040A-16	2160*3860*330mm	2100*3800*200mm	2100*3800mm

MODEL	SX A-16
Tool magazine	Carousel type 16 tools
Max. Traveling speed	100m/min
Max. Working speed	15-20m/min
Spindle power	9.0kw
Spindle speed	24000r/min
Driving system	Servo drive
Position way	High precision automatic positioning cylinder
Table structure	Vacuum adsorption table
Weight	2300kg
Control system	Syntec
Drive type	X/Y rack, Z ball screw
Pumps	11 KW
Light barrier	Two sides light barrier safety protection
Air conditioner	Air conditioner for electrical cabinet
Pop up pins	5 pieces of pop up pins
Voltage	3P 380V 50HZ

## Warranty

WOTSO offers a 12-month warranty for service issues that are not caused by operator errors. Service and support are available throughout the lifetime of a machine at fair and reasonable costs after the warranty term. All parts within the warranty are provided by the seller.

## Components:


**Spindle**



**Controller system**



**INVT Servo motor**



**Linear Guide and Helical rack**



**INVT Drives**



**Positioning pop up pins**



**Vacuum pump 11KW**



# *We Simplify and Optimize* Your Manufacturing

We Strive to Make Your Production **Smarter**,  
**Faster** and More **Cost-efficient** with minimum human labor required.